


83-487



ОБЪЕДИНЕННЫЙ
ИНСТИТУТ
ЯДЕРНЫХ
ИССЛЕДОВАНИЙ
ДУБНА

C346.2e + C343g

E1-83-487

4632/83

V.G.Ableev¹, Kh.Dimitrov², A.Filipkowski³,
A.P.Kobushkin⁴, D.K.Nikitin⁵, A.A.Nomofilov,
N.M.Piskunov, V.I.Sharov, I.M.Sitnik,
E.A.Strokovsky, L.N.Strunov, I.Vizireva,
G.G.Vorobiev, S.A.Zaporozhets


**DETERMINATION OF PARAMETERS
OF DEUTERON SIX-QUARK COMPONENT**

Submitted to the X International Conference
on Few Body Problems in Physics, Karlsruhe, 1983.

Dubna - Moscow¹ - Sofia² - Warsaw³ - Kiev⁴ -
Dushanbe⁵ Collaboration

1983

Our data¹ on the proton momentum spectra at zero angles in the relativistic (8.9 GeV/c) deuteron fragmentation on C and CH₂ targets were obtained at the Dubna synchrophasotron (see also²). From these data we have extracted³ the nucleon momentum distribution in deuteron $|\Psi(K)|^2$ shown in fig.1 versus the relativistic analogue of the relative nucleon momentum K defined as $K^2 = (m_N^2 + p_{\perp}^2) / [4\alpha(1-\alpha)] - m_N^2$. Here α is a fraction of the deuteron momentum carried out by the proton in IMF. An excess, as large as 300%, of the measured $|\Psi(K)|^2$ value over the expected one from the two-nucleon deuteron wave functions (DWF) has been found in the high momentum region $0.2 < K < 0.6$ GeV/c. It cannot be explained by isospin-dependent effects of final-state interactions³. We explain¹ this excess (see fig.1) in the framework of a hybrid model of DWF⁴. It takes into account the two-nucleon (np) component and collective six-quark (6q) admixture described as an S⁶-configuration in the oscillator quark model with three free parameters: the r.m.s. radius of 6q-state, the value of the 6q-admixture and the relative phase between np- and 6q-components. In estimating (table) their values by fit, data in the region $0.36 < K < 0.53$ GeV/c are omitted, because their excess over the calculation with our DWF is possibly due to the diffraction production of the dibaryon resonance¹. Estimates⁵ of the radius and the value of 6q-admixture made recently from NA4-experiment data on deep inelastic muon-carbon scattering are in agreement with ours. The $|\Psi(K)|^2$ was also extracted in the analysis⁶ of deuteron electrodisintegration data of different groups which support (fig.2) our results.






FIGURE 1.
Nucleon momentum distributions in deuteron obtained from our data¹.




FIGURE 2.
Nucleon momentum distributions in deuteron from analysis⁶.

Table. The hybrid model DWF parameters obtained from the fit of our data.

Target	Value of 6q admixture	r.m.s. radius of 6q system (fm)	relative phase of np- and 6q-component of DWF	χ^2 /degrees of freedom
CH ₂	(10.8±1.2)%	0.99±0.04	95°±7°	1.6
C	(8.6±0.8)%	0.95±0.05	82°±6°	1.9

References

1. Ableev V.G. et al. Nucl. Phys., 1983, A393, p.491; JINR, E1-82-777, Dubna, 1982. The estimate of the 6q-state admixture in deuteron obtained in these papers should be multiplied by a factor of two^{3/2} because in ref./4b/ the factor 1/√2 is missed out in the formulas (12), (17) for the 6q part of DWF used by us to calculate this estimate.
2. Ableev V.G. et al. In: Proc. of the Int. Conf. on Nucl. Phys., August 24-30, 1980, Berkeley, Cal., LBL-11118, v.1, p.70; 9-ICOHEPANS, Versailles, 6-10 Jullet, 1981, p.70; Kuznetsov A.A. Int. Conf. on Nucleus-Nucleus Collisions, East Lansing, U.S.A. 1982; JINR, E1-82-660, Dubna, 1982; VI Int. Conf. High Energy Nuclear Physics, 6-11 June 1983, Balatonfured, Hungary; JINR, E1-83-334, Dubna, 1983.
3. Ableev V.G. et al. Pis'ma v ZHETF, 1983, 37, p.196.
4. a) Kobushkin A.P. Preprint ITP-76-145E, Kiev, 1976; Yad. Fiz. 1978, 28, p.45.
b) Kobushkin A.P., Vizireva L. J. Phys. G; Nucl. Phys., 1982, 8, p.893.
c) Matveev V.A., Sorba P. Nuovo Cimento Lett., 1977, 20, p.435.
5. Bondarchenko E.A., Efremov A.V. JINR, E2-83-72, Dubna, 1983; Titov A.I. JINR, E2-83-72, Dubna, 1983.
6. Bosted P. et al. Phys. Rev. Lett. 1982, 49, p.1380.

Received by Publishing Department
on July 11, 1983.

WILL YOU FILL BLANK SPACES IN YOUR LIBRARY?
You can receive by post the books listed below. Prices - in US \$,
including the packing and registered postage

- | | | |
|---------------|---|-------|
| D-12965 | The Proceedings of the International School on the Problems of Charged Particle Accelerators for Young Scientists. Minsk, 1979. | 8.00 |
| D11-80-13 | The Proceedings of the International Conference on Systems and Techniques of Analytical Computing and Their Applications in Theoretical Physics. Dubna, 1979. | 8.00 |
| D4-80-271 | The Proceedings of the International Symposium on Few Particle Problems in Nuclear Physics. Dubna, 1979. | 8.50 |
| D4-80-385 | The Proceedings of the International School on Nuclear Structure. Alushta, 1980. | 10.00 |
| | Proceedings of the VII All-Union Conference on Charged Particle Accelerators. Dubna, 1980. 2 volumes. | 25.00 |
| D4-80-572 | N.N. Kolesnikov et al. "The Energies and Half-Lives for the α - and β -Decays of Transfermium Elements" | 10.00 |
| D2-81-543 | Proceedings of the VI International Conference on the Problems of Quantum Field Theory. Alushta, 1981 | 9.50 |
| D10,11-81-622 | Proceedings of the International Meeting on Problems of Mathematical Simulation in Nuclear Physics Researches. Dubna, 1980 | 9.00 |
| D1,2-81-728 | Proceedings of the VI International Seminar on High Energy Physics Problems. Dubna, 1981. | 9.50 |
| D17-81-758 | Proceedings of the II International Symposium on Selected Problems in Statistical Mechanics. Dubna, 1981. | 15.50 |
| D1,2-82-27 | Proceedings of the International Symposium on Polarization Phenomena in High Energy Physics. Dubna, 1981. | 9.00 |
| D2-82-568 | Proceedings of the Meeting on Investigations in the Field of Relativistic Nuclear Physics. Dubna, 1982 | 7.50 |
| D9-82-664 | Proceedings of the Symposium on the Problems of Collective Methods of Acceleration. Dubna, 1982 | 9.20 |
| D3,4-82-704 | Proceedings of the IV International School on Neutron Physics. Dubna, 1982 | 12.00 |

Orders for the above-mentioned books can be sent at the address:
Publishing Department, JINR
Head Post Office, P.O. Box 79 101000 Moscow, USSR

**SUBJECT CATEGORIES
OF THE JINR PUBLICATIONS**

Index	Subject
1.	High energy experimental physics
2.	High energy theoretical physics
3.	Low energy experimental physics
4.	Low energy theoretical physics
5.	Mathematics
6.	Nuclear spectroscopy and radiochemistry
7.	Heavy ion physics
8.	Cryogenics
9.	Accelerators
10.	Automatization of data processing
11.	Computing mathematics and technique
12.	Chemistry
13.	Experimental techniques and methods
14.	Solid state physics. Liquids
15.	Experimental physics of nuclear reactions at low energies
16.	Health physics. Shieldings
17.	Theory of condensed matter
18.	Applied researches
19.	Biophysics

Аблеев В.Г. и др.

E1-83-487

Определение параметров шестикварковой компоненты дейтрона

Представлены экспериментальные результаты по импульсным распределениям нуклонов в дейтроне, извлеченные из наших данных по импульсным спектрам протонов, вылетающих под нулевым углом при фрагментации релятивистских дейтронов (8,9 ГэВ/с) на С и СН₂ мишенях. Полученные импульсные распределения хорошо описываются в рамках гибридной модели дейтрона, которая включает коллективное шестикварковое состояние. Приводятся оценки параметров шестикваркового состояния, полученные из подгонки к экспериментальным данным. Анализ данных экспериментов по глубоконеупругому рассеянию электронов (СЛАК) и мюонов (НА4) подтверждает наши результаты.

Работа выполнена в Лаборатории высоких энергий ОИЯИ.

Preprint Объединенного института ядерных исследований. Дубна 1983

Ableev V.G. et al.

E1-83-487

Determination of Parameters of Deuteron Six-Quark Component

We present experimental results for the nucleon momentum distributions in deuteron extracted from our data for the momentum spectra of protons emitted at zero angles in the relativistic (8.9 GeV/c) deuteron fragmentation on C and CH₂ targets. The momentum distributions obtained are well described in the framework of a hybrid model of the deuteron which includes the collective six-quark-state. The six-quark-state parameters are estimated from the fit to experimental data. The analysis of the experimental data on deep inelastic electron (SLAC) and muon (NA4) scattering supports our results.

The investigation has been performed at the Laboratory of High Energies, JINR.

Preprint of the Joint Institute for Nuclear Research. Dubna 1983