

# Index

- Algebraic models, 23-64
  - Baldwin-Lomax, 8, 52-53, 53ff., 78, 81, 133, 136, 160, 195, 197, 207, 209, 352, 365, 368
  - Cebeci-Smith, 8, 30, 50-51, 53ff., 78, 133, 136, 195, 197, 212, 256f., 352, 365, 368
  - Prandtl eddy viscosity, 31, 48, 53, 69
  - Prandtl mixing length, 2, 6, 8, 23, 27-44, 47, 77, 95, 100, 352, 354-359
- Algebraic Stress Model, 221-223, 233, 243, 266
- Aliasing, 319
- ASM (*see Algebraic Stress Model*)
- Asymptotic:
  - consistency, 73, 133, 138-146, 150-153, 247, 259
  - expansion (*defined*), 338
  - sequence (*defined*), 338
- Autocorrelation, 91, 316, 329
- Averaging:
  - ensemble, 11-12
  - Favre, 172-174
  - phase, 14, 20
  - Reynolds, 11-14
  - spatial, 11-12
  - time, 11
- Backscatter, 327
- Backward-facing step, 161-163, 221, 261-263, 266, 321, 328
- Boundary-layer applications:
  - compressible:
    - flat-plate, 81, 195-198
    - nonadiabatic, 201-202, 255-256
    - rough-wall, 201-203
    - separated, 203-209, 263-266
    - variable-pressure, 198-201
  - Boundary-layer applications:
    - incompressible:
      - curved-wall, 215-217, 253-255
      - flat-plate, 59, 81, 133-136, 142, 253
      - mass transfer, 131-132, 136-138
      - rough-wall, 128-130
      - separated, 61-64, 66-68, 81-82, 160
      - spinning-cylinder, 256-257
      - transitional, 155-159
      - unsteady, 256-261
      - variable-pressure, 59-61, 66-67, 78, 81-82, 136, 142-146, 253
- Boussinesq approximation (*defined*), 23
- Butterfly effect, 329
- Cascading, 4-5, 314, 316, 320, 327
- CFL condition (*defined*), 293
- CFL number (*defined*), 293
- Channel flow, 53-59, 94, 132-134, 154-156, 248-250, 364-370
  - rotating, 249
  - skin friction formula, 56
- Clauser defect law, 48, 105, 111
- Common part, 106, 345
- Complete model, 7, 73, 83, 99, 163
- Completely-rough surface, 129-130
- Convective Mach number, 186
- Convergence:
  - grid, 304-305
  - iteration, 303-304
- Correlation (*defined*), 15
  - auto, (*see* Autocorrelation)
  - single-point, 90, 227
  - two-point, 90, 227
- Cross-term stress, 325
- Curved-wall flow:
  - (*see Boundary-layer applications*)
- Defect layer, 44-46, 48, 110-121, 127, 142, 375

- Delta formulation, 298
- Displacement thickness (*defined*), 197
- Dissipating eddies, 4, 85, 89, 146, 233, 314, 318, 320, 323
- Dissipation (*defined*), 75
  - dilatation, 184
  - Favre-averaged, 179
  - incompressible, 74
  - solenoidal, 184
  - tensor, 224
- Distinguished limit, 343
- Drastic surgery, 75, 89, 90, 231, 233
- Dynamic SGS model, 327
- Dynamical system, 328-330
  
- Echo effect (*see Pressure-echo effect*)
- Eddy shock, 183, 185
- Eddy turnover time, 315, 320
- Energy-bearing eddies, 86, 89, 233, 238, 314, 316
- Energy spectral density, 316
- Enstrophy, 86
- Entrainment, 100, 281, 284
- Equilibrium parameter (*defined*), 107
- Equilibrium turbulence, 29-30, 63, 77
- Ergodic hypothesis, 12
- Escudier defect law, 48
  
- Far wake, 32-38, 95ff., 242, 279, 355-356
  - spreading rate (*defined*), 99
- Fast Fourier Transform (FFT), 320
- Filter, 323-325
  - function, 324
  - Gaussian, 324
  - volume-average box, 323
  - width, 323
- Flux Jacobian matrix, 298
- Fourier's law, 175
- Friction velocity (*defined*), 46, 190
  
- Gradient-diffusion approximation, 76
- Grid insensitivity:
  - (*see Convergence, grid*)
  
- Half-equation models, 65-67
  - Hung, 64, 66
  - Johnson-King, 65-67, 78, 160
  - Shang-Hankey, 63
- Heat-flux vector:
  - laminar, (*see Fourier's law*)
  - turbulent, 181
- Heat transfer, 63-64, 158, 172, 182, 195, 197-198, 200-201, 204-205, 207-210, 215, 321-322, 328
- Homogeneous turbulence, 12, 184, 218, 235-242
  - anisotropic, 236
  - isotropic, 93, 235, 326
  - rotating, 218, 234, 242
  - sheared, 235, 240
  - strained, 235, 240, 321
- Hypothesis of local isotropy, 224, 233, 314
  
- Incomplete model, 6, 23, 37, 67, 68, 73, 163
- Inertial subrange, 316
- Inhomogeneous turbulence, 12, 184, 227
- Inner expansion (*defined*), 342
- Integral scale:
  - length, 90, 314
  - time, 91
- Intermittency, 49
- Invariant modeling, 224
  
- Jet:
  - plane, 41-44, 95ff., 242, 359-360
  - radial, 103, 359-360
  - round, 41-44, 95ff., 242, 359-360
  - spreading rate (*defined*), 99
  
- Kármán's constant (*defined*), 47
- Klebanoff intermittency function, 49-52
- Knudsen number (*defined*), 27
- Kolmogorov -5/3 law, 316
- Kolmogorov scales (*defined*), 314
- Kurtosis, 186
  
- Law of the wake, 117
- Law of the wall (*defined*):
  - classical, 47
  - compressible, 189-195
  - curved-wall, 217
  - with suction, 71
- Leonard stress, 325
- Levy-Lees variables, 429
- Locally homogeneous, 227
- Log layer, 44-46, 48, 51, 93-94, 105-110, 122, 171, 189, 195, 197, 217, 235, 244, 322

- Mass transfer  
 (*see Boundary-layer applications*)
- Matching (*defined*), 344
- Mean free path, 23, 25, 27
- Mixing layer, 38-41, 95ff., 242, 321, 357-358  
 compressible, 172, 183-189, 195  
 curved, 242-243  
 spreading rate (*defined*), 99
- Mixing-length hypothesis, 6, 23, 27-30
- Momentum-integral equation, 113
- Morkovin's hypothesis, 172
- Navier-Stokes equation:  
 Favre-averaged, 176  
 filtered, 325  
 Reynolds-averaged, 16
- Navier-Stokes operator, 17, 88, 166
- Nonstationary turbulence, 14
- Oldroyd derivative, 219-220
- One-equation models, 77-83  
 Baldwin-Barth, 8, 79, 81-82, 160, 197  
 Bradshaw-Ferriss-Atwell, 8, 78-79, 94  
 Goldberg, 8, 78, 81  
 Nee-Kovaszny, 78  
 Prandtl-Emmons-Glushko, 6, 74-79, 327  
 Spalart-Allmaras, 8, 79-81, 281
- Outer expansion (*defined*), 341
- Overlap region (*defined*), 344
- Perfect-gas law, 175, 423
- Permutation tensor (*defined*), 334
- Phase-space portrait, 239
- Pipe flow, 4, 53-59, 132-135, 154-157, 248-251, 364-370  
 skin friction formula, 56
- Pope's modification, 102, 104, 359
- Prandtl number:  
 laminar, 175, 328, 423  
 turbulent, 182, 357, 423
- Pressure diffusion, 75-76, 182-183
- Pressure dilatation, 179, 182-183
- Pressure-echo effect, 229-230, 235, 248-249
- Pressure-strain correlation, 222, 224, 226-231, 233, 235, 243  
 rapid (*defined*), 226  
 slow (*defined*), 226
- Pressure-strain redistribution:  
 (*see Pressure-strain correlation*)
- Pressure work, 179, 183
- Production (*defined*), 75
- Pseudo-spectral method, 320, 323
- Rapid pressure strain:  
 (*see Pressure-strain correlation*)
- Rapid pressure-strain models:  
 Launder-Reece-Rodi, 229  
 Lumley, 230  
 Speziale-Sarkar-Gatski, 230
- Realizability, 220, 224, 229
- Realization, 321
- Resolvable scale, 324-325
- Return to isotropy, 214, 220, 222, 228, 239
- Reynolds' analogy, 181
- Reynolds-stress (*defined*), 16  
 anisotropy tensor, 225  
 equation, 19, 179  
 tensor invariants, 230
- Richardson extrapolation, 304-305
- Richardson number, 217
- Rodi's ASM approximation, 221
- Rosby number, 252
- Rotating channel flow:  
 (*see Channel flow, rotating*)
- Rotation tensor (*defined*), 218
- Round-jet/plane-jet anomaly, 102, 104, 242-243
- Rubel-Melnik transformation, 277, 281-282, 286, 351, 353, 371-372
- Second-moment closure models:  
 (*see Second-order closure models*)
- Second-order closure models, 223-235  
 Daly-Harlow, 9, 228  
 Donaldson, 9, 224-225, 228  
 Fu-Launder-Tselepidakis, 231, 241  
 Gibson-Launder, 229, 252  
 Gibson-Younis, 261-262  
 Hanjalić-Launder, 253-254  
 Launder-Reece-Rodi, 9, 226, 231-232, 235ff.  
 Mellor-Herring, 225  
 Shih-Lumley, 231, 241  
 Wilcox multiscale, 232-235, 235ff., 277, 352, 364-365, 368, 371, 373, 391, 408-409, 412, 424  
 Wilcox-Rubesin, 225, 232, 238, 256-257

- Second viscosity:  
 eddy, 181  
 molecular, 175
- Secondary motion, 165, 214, 218, 220-223, 255, 266
- Self preserving (*defined*), 30
- Self similar (*see Self preserving*)
- SGS Reynolds stress, 325
- Similarity-solution method, 33-36  
 existence conditions, 35
- Single-point correlation, 90, 227
- Singular perturbation problem:  
 (*defined*), 339
- Slightly-rough surface, 278, 364, 371
- Slow pressure strain:  
 (*see Pressure-strain correlation*)
- Smagorinsky model, 326-327
- Specific dissipation (*defined*), 85-87
- Spectral method, 319, 320, 323, 324
- Spinning, segmented cylinder, 256-257
- Spreading rate (*defined*):  
 far wake, 99  
 jet, 99  
 mixing layer, 99
- Stability:  
 analysis, 293-297  
 conditional, 294  
 unconditional, 290, 291, 294
- Stanford Olympics:  
 First, 60  
 Second, 60
- Stationary turbulence, 11, 12, 14
- Stiffness, 273-275, 303
- Strain-rate tensor (*defined*), 218
- Strange attractor, 328-329
- Stratification, 214, 218, 224, 266
- Streamline curvature, 7, 50, 110, 214, 215-217, 222-223, 243, 253-255, 412
- Subgrid scale (SGS), 323-324, 326-327
- Surface mass transfer:  
 (*see Boundary-layer applications*)
- Surface roughness:  
 (*see Boundary-layer applications*)
- Taylor microscale, 315
- Term-by-term modeling:  
 (*see Drastic surgery*)
- Thermal conductivity, 175
- Transcendentally small (*defined*), 338
- Turbulence Mach number (*defined*), 184
- Turbulence Reynolds number (*defined*), 139, 152
- Turbulent/nonturbulent interface, 38, 40, 94, 98, 118, 279-286, 305, 320, 354
- Turbulent transport, 76, 182, 225-226
- Two-equation models, 83-92
- k- $\epsilon$* :  
 Chien, 139-145, 154, 194, 196, 198-200, 261-262, 278, 291, 408, 428  
 Fan-Lakshminarayana-Barnett 139, 291, 408, 428  
 Dutoya-Michard, 139, 142-143  
 Hassid-Poreh, 139, 142-143  
 Hoffmann, 139, 142-143  
 Jones-Launder, 87, 139-142, 144-145, 154, 198, 205, 287, 291, 408, 427  
 Lam-Bremhorst, 139-145, 154, 278, 291, 408, 427  
 Launder-Sharma, 87-89, 92ff., 198, 204, 232, 242-243, 252, 291, 352, 355, 357, 359, 375, 408, 427  
 Myong-Kasagi, 139  
 Reynolds, 139  
 Rodi, 205, 207, 209  
 Shih-Hsu, 139  
 Speziale-Abid-Anderson, 139  
 Standard (*Launder-Sharma*)  
 Yang-Shih, 139, 291, 408, 428  
 Zhang-So-Speziale-Lai, 139, 198, 201-202
- k- $\omega$* :  
 Kolmogorov, 7-8, 83-88, 92, 123  
 Speziale-Abid-Anderson, 85  
 Standard (*Wilcox*)  
 Wilcox, 9, 84-87, 92ff., 194, 196, 198, 216, 223, 260, 265, 277, 352, 355, 357, 359, 364-365, 368, 371, 373, 375, 391, 408, 412, 424
- k- $\omega^2$* :  
 Saffman, 8, 84, 88, 94, 123, 281, 284  
 Spalding, 85-86, 124  
 Wilcox-Alber, 9, 85-86, 183  
 Saffman-Wilcox, 9, 85, 190, 203  
 Wilcox-Traci, 9, 85  
 Wilcox-Rubesin, 9, 85-86, 110, 114, 123, 142-144, 151, 214, 219, 238, 256-257, 289

Two-equation models (*Continued*): $k^{1/2}$ - $\omega$ :

Coakley, 85

 $k$ - $kl$ :

Ng-Spalding, 91

Rodi-Spalding, 91

Rotta, 83, 90

Smith, 91

Vollmers-Rotta, 281

 $k$ - $l$ :

Rotta, 83

 $k$ - $\tau$ :

Speziale-Abid-Anderson, 92,

123-124

 $k$ - $k\tau$ :

Zeierman-Wolfshtein, 91, 94

Two-point correlation, 90, 227

Universal equilibrium theory, 314, 316

Unsteady flow, 14, 256-261, 292, 296

Van Driest damping function (*defined*),  
47Velocity thickness (*defined*), 50

Viscous-interface layer, 284-286, 308

Viscous sublayer, 44-46, 48, 122-125,  
128, 130-132, 142, 152, 244-  
247, 261, 277, 305, 322, 373-  
374

von Neumann stability analysis:

*(see Stability, analysis)*

Vortex stretching, 3, 4, 94, 103

Wake (*see Far wake*)

Wake-strength parameter, 117-120, 375

Wall functions, 126-128, 133, 142, 161f.,  
195, 204f., 244f., 248, 255,  
261f., 275f., 305

Wall-reflection effect:

*(see Pressure-echo effect)*

Weak solution, 279-284

WKB method, 192, 211

Zero-equation models:

*(see Algebraic models)*